

09/25/03
18304 U.S. PTO



Sughrue
SUGHRUE MION, PLLC

2100 Pennsylvania Avenue, NW
Washington, DC 20037-3213
T 202.293.7060
F 202.293.7860
www.sughrue.com

Darryl Mexic
T (202) 663-7909
dmexic@sughrue.com

September 25, 2003

MAIL STOP PATENT APPLICATION
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

22212 U.S. PTO
10/669661
092503

Re: Application of Shiro YONEZAWA and Ken TACHIBANA
START CONTROL APPARATUS OF INTERNAL COMBUSTION ENGINE
Assignee: **mitsubishi denki kabushiki kaisha**
Our Ref. Q77221

Dear Sir:

Attached hereto is the application identified above comprising thirty-four (34) sheets of the specification, including the claims and abstract, seven (7) sheets of drawings (figures 1-7B), executed Assignment and PTO 1595 form, and executed Declaration and Power of Attorney. Also enclosed is an Information Disclosure Statement and PTO/SB/08 A & B (modified).

The Government filing fee is calculated as follows:

Total claims	<u>7</u>	-	20	=	<u> </u>	x	\$18.00	=	<u> </u>	\$0.00
Independent claims	<u>1</u>	-	3	=	<u> </u>	x	\$84.00	=	<u> </u>	\$0.00
Base Fee										\$750.00
TOTAL FILING FEE										\$750.00
Recordation of Assignment										\$40.00
TOTAL FEE										\$790.00

Checks for the statutory filing fee of \$750.00 and Assignment recordation fee of \$40.00 are attached. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A duplicate copy of this transmittal letter is attached.



Sughrue

SUGHRUE MION, PLLC

Attorney Docket No.: Q77221

September 25, 2003

Page 2

Priority is claimed from:

Country

Application No

Filing Date

Japan

2003-102784

April 7, 2003

The priority document is enclosed herewith.

Respectfully submitted,
SUGHRUE MION, PLLC

Attorneys for Applicant

By:

Darryl Mexic

Registration No. 23,063

SUGHRUE MION, PLLC

Telephone: (202) 293-7060

Facsimile: (202) 293-7860

WASHINGTON OFFICE

23373

CUSTOMER NUMBER

DM/nv